

Facility Information			Energy Use					Energy Use (kBtu)					Benchmarks			Missing Utility Data	Comments
FACILITY	FACILITY TYPE	SQUARE FOOTAGE	ELECTRICITY (kWh)	GAS (therms)	OIL (gal)	PROPANE (gal)	Electricity	Gas	Oil	Propane	Total	kWh/ft2	Total kBtu/ft2	National Average (kBtu/ft2)	YES		
DPW Water Dept. @ City Yard	Garage	484	0	3,869	0	0	0	386,900	0	0	386,900	0	799	78	YES	Oil data differs significantly for cal 2008 vs FY08	
Fire Station -- Tremont Street	Public Safety	4,410	20,536	248	4,179	0	70,089	24,600	585,060	0	679,949	5	154	78		Oil data differs significantly for cal 2008 vs FY08	
Public Works (Auto Garage)	Garage	6,908	44,720	8,365	0	0	152,629	896,500	0	0	1,049,129	6	152				
Horace Mann School	School	22,596	66,880	24,791	0	0	221,979	2,479,100	0	0	2,706,679	3	120	102		High gas use for small building	
Council on Aging Office	Senior Center	3,947	8,875	3,264	0	0	30,290	326,400	0	0	356,690	2	90				
Winthrop School	School	28,856	86,860	22,536	0	0	294,747	2,253,600	0	0	2,548,347	3	88	102			
Hoover School	School	32,079	72,800	20,874	0	0	248,466	2,087,400	0	0	2,335,866	2	73	102			
Fire Station -- East Side	Public Safety	5,115	22,060	0	1,654	0	75,359	0	259,560	0	334,919	4	65	78		Oil data differs significantly for cal 2008 vs FY08	
Lincoln School	School	66,933	455,400	26,928	0	0	1,554,280	2,692,800	0	0	4,247,080	7	63	102			
Roosevelt School	School	89,890	393,700	23,818	0	0	1,343,698	2,381,800	0	0	3,725,498	7	62	102			
Police Station	Public Safety	7,558	102,148	1,042	0	0	348,631	104,200	0	0	452,831	14	60	78			
Fire Station -- Main Street	Public Safety	11,881	65,757	4,817	0	0	224,429	481,700	0	0	706,129	6	59	78			
Ripley (ECC)	School	25,092	30,860	12,747	0	0	105,666	1,274,700	0	0	1,380,366	1	55	102		High school has far lower gas use than Middle School	
Middle School	School	215,000	1,334,250	72,726	0	0	4,553,795	7,272,600	0	0	11,826,395	6	55	102			
Library	Library	23,855	150,610	6,707	0	0	514,032	670,700	0	0	1,184,732	6	50	104			
William Senior Center	Senior Center	8,184	42,308	2,472	0	0	144,397	247,200	0	0	391,597	5	48				
Beaube School	School	54,536	64,840	23,805	0	0	221,299	2,380,500	0	0	2,601,799	1	48	102			
Franklin School	School	44,948	39,280	19,561	0	0	134,063	1,956,100	0	0	2,090,163	1	47	102		High gas use for small building	
Memorial Hall	Function Hall	28,477	48,600	10,582	0	0	165,872	1,058,200	0	0	1,224,072	2	43				
Public Works (City Yard)	Garage	18,432	0	7,202	0	0	0	720,200	0	0	720,200	0	39		YES		
High School	School	282,440	2,028,000	26,957	0	0	6,921,564	2,695,700	0	0	9,617,264	7	34	102		High school has far lower gas use than Middle School. Missing account? High elec use.	
City Hall	Administration	30,288	0	10,054	0	0	0	1,095,400	0	0	1,095,400	0	33	101	YES	Propane use not included from source info. Oil data differs significantly for cal 2008 vs FY values.	
Mt. Hood Clubhouse heating system	Administration	6,603	0	0	1,525	0	56,256	0	213,500	0	213,500	0	32	101	YES		
Wyoming Cemetery	Administration	2,138	16,483	0	0	0	56,256	0	0	0	56,256	8	26	101			
Mt. Hood Maintenance garage	Administration	0	0	0	310	0	0	0	43,400	0	43,400	0	0	101	YES	Oil data differs significantly for cal 2008 vs FY08	
School Dept. Maintenance	School	0	25,263	3,329	0	0	86,223	332,900	0	0	419,123	0	0	102			
Total		890,650	5,119,650	337,294	7,868	0	17,473,365	33,729,400	1,101,520	0	52,304,285	4	88	Average			

Facility Information			Energy Use					Energy Use (kBtu)			Benchmarks			Missing Utility Data	Comments
FACILITY	FACILITY TYPE	SQUARE FOOTAGE	ELECTRICITY (kWh)	GAS (therms)	OIL (gal)	PROPANE (gpi)	Electricity	Gas	Oil	Propane	Total	kWh/ft2	Total kBtu/ft2		
High School	School	282,440	2,028,000	26,957	0	0	6,921,564	2,695,700	0	0	9,617,264	7	34	102	High school has far lower gas use than Middle School. Missing account? High elec use.
Middle School	School	215,000	1,334,250	72,726	0	0	4,553,795	7,272,600	0	0	11,826,395	6	55	102	High school has far lower gas use than Middle School.
Lincoln School	School	66,933	455,400	26,958	0	0	1,554,280	2,692,800	0	0	4,247,080	7	63	102	
Roosevelt School	School	59,890	383,700	23,818	0	0	1,343,698	2,381,800	0	0	3,725,498	7	62	102	
Beahe School	School	54,536	64,840	23,805	0	0	221,299	2,380,500	0	0	2,601,799	1	48	102	
Franklin School	School	44,948	39,280	19,581	0	0	134,063	1,956,100	0	0	2,090,163	1	47	102	High gas use for small building
Hoover School	School	32,079	72,800	20,874	0	0	248,466	2,087,400	0	0	2,335,866	2	73	102	High gas use for small building
Winthrop School	School	28,856	86,360	22,536	0	0	294,747	2,253,600	0	0	2,548,347	3	88	102	
Ripley (ECC)	School	25,082	30,960	12,747	0	0	105,666	1,274,700	0	0	1,380,366	1	55	102	
Horace Mann School	School	22,896	66,680	24,791	0	0	227,579	2,479,100	0	0	2,706,679	3	120	102	
School Dept. Maintenance	School	0	25,263	3,329	0	0	86,223	332,900	0	0	419,123	0	0	102	
Town Total		990,650	5,119,650	337,294	7,868	0	17,473,365	33,729,400	1,101,520	0	52,304,285	4	88	Average	

Note: Sorted by Sq Footage